



Finished Size of Project: **58" x 70" (1.47m x 1.78m)**

Fabric Collection Name and Designer: **U.S. Military**

Technique: **Pieced**

Project Designed by: **Matthew Pridemore of The Whimsical Workshop**

Skill Level: **Confident Beginner**

## Army Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Alphabet	Black	2754-99	2/3 yard (0.61m)
(B) Soldier Scenic	Taupe	2755-46	1/2 yard (0.46m)
(C) Word Print	Cream	2756-44	1 5/8 yards (1.49m)
(D) Word Print	Green	2756-66	1/2 yard (0.46m)
(E) Radar	Black	2757-99	1 yard (0.91m)*
(F) Starry Waves	Green/Brown	2758-63	5/8 yard (0.57m)
(G) Hero Panel	Green/Black	2760P-96	1 panel (0.91m)

\* includes binding



(A)



(B)



(C)



(D)



(E)



(F)



(G)

## Backing (Purchased Separately)

44" (1.12m) wide

Patchwork

Green

2753-66

4 1/2 yards (4.11m)



Backing  
44"

## Additional Materials:

- Batting 66" x 78" (1.68m x 1.98m)
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

## Navy Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Alphabet	Navy	2915-77	2/3 yard (0.61m)
(B) Fleet	Slate	2916-91	1/2 yard (0.46m)
(C) Word Print	White/Navy	2917-07	1 5/8 yards (1.49m)
(D) Word Print	Light Slate	2917-19	1/2 yard (0.46m)
(E) Radar	Midnight Blue	2918-79	1 yard (0.91m)*
(F) Starry Waves	Navy	2919-77	5/8 yard (0.57m)
(G) Hero Panel	Navy/Midnight	2922P-79	1 panel (0.91m)

\* includes binding



(A)



(B)



(C)



(D)



(E)



(F)



(G)

## Backing (Purchased Separately)

44" (1.12m) wide

Patchwork

Steel

2913-90

4 1/2 yards (4.11m)



Backing  
44"

## Additional Materials:

- Batting 66" x 78" (1.68m x 1.98m)
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

## Air Force Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Alphabet	Metal	2764-90	⅔ yard (0.61m)
(B) Aircraft	Sky	2765-11	½ yard (0.46m)
(C) Word Print	White	2766-07	1⅝ yards (1.49m)
(D) Word Print	Slate	2766-19	½ yard (0.46m)
(E) Radar	Black	2767-99	1 yard (0.91m)*
(F) Starry Waves	Blue	2768-79	⅝ yard (0.57m)
(G) Hero Panel	Blue/Black	2772P-79	1 panel (0.91m)

(H)

\* includes binding



(A)



(B)




(C)



(D)



(E)



(F)



(G)

## Backing (Purchased Separately)

44" (1.12m) wide

Patchwork

Metal/Blue

2763-97

4½ yards (4.11m)



Backing  
44"

## Additional Materials:

- Batting 66" x 78" (1.68m x 1.98m)
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

## Cutting Instructions (All Branches)

### Notes:

- Please check [www.studioefabrics.net](http://www.studioefabrics.net) for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvedge to selvedge edge unless otherwise noted.

### Fabric A, cut:

- (3) 4½" x WOF; sew together end to end with diagonal seams and cut (2) 4½" x 42½"
- (3) 2½" x WOF; sew together end to end with diagonal seams and cut (2) 2½" x 46½"

### Fabric B, cut:

- (20) Template 1 triangles
- (20) Template 3 triangles

### Fabric C, cut:

- (3) 3" x WOF; sew together end to end with diagonal seams and cut (2) 3" x 42½"
- (2) 3" x 39½" WOF
- (22) Template 1 triangles
- (22) Template 3 triangles

### Fabric D, cut:

- (18) Template 1 triangles
- (18) Template 3 triangles

### Fabric E, cut:

- (1) 6½" x WOF; subcut
- (4) 6½" squares
- (4) Template 2 triangles
- (7) 2½" x WOF for the binding

### Fabric F, cut:

- (4) 2½" x WOF; sew together end to end with diagonal seams and cut (2) 2½" x 66½"
- (3) 2½" x WOF; sew together end to end with diagonal seams and cut (2) 2½" x 58½"

### Fabric G, fussy cut:


- (1) 34½" x 42½" rectangle centered on panel

## Sewing (All Branches)

- Sew using a 1/4" seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Sew (1) 3" x 42 1/2" **Fabric C** strip to each side of the 34 1/2" x 42 1/2" **Fabric G** rectangle. Sew (1) 3" x 39 1/2" **Fabric C** strip to the top and bottom of the **Fabric G** rectangle to make the Quilt Center (**Fig. 1**). **Trim the Quilt Center to measure 38 1/2" x 46 1/2"**.

**Fig. 1**



2. Place (1) **Fabric C** Template 1 triangle on top of (1) **Fabric E** Template 2 triangle RST, aligning the left sides (**Fig. 2**). Sew the (2) triangles together along the left side. Press the smaller triangle open.
3. Place (1) **Fabric C** Template 3 triangle on top of the **Fabric E** Template 2 triangle RST,


aligning the right sides (**Fig. 3**). Sew the (2) triangles together along the right side. Press the smaller triangle open to make (1) Block One square (**Fig. 4**). Trim the block to measure 6 1/2" square.

4. Repeat Steps 2-3 to make an additional (3) Block One squares.

**Fig. 2**

**Fig. 3**

**Fig. 4**




5. Refer to **Figure 5** and sew together along their long sides (1) **Fabric C** Template 1 triangle and (1) **Fabric D** Template 1 triangle to make (1) 3 1/2" x 6 1/2" Block Two rectangle (**Fig. 6**). Repeat to make an additional (7) Block Two rectangles.
6. Repeat Step 5 and refer to **Figures 7-8** for fabric identification, placement and orientation to make (10) Block Three rectangles and (10) Block Four rectangles.

**Fig. 5**

**Fig. 6**

**Fig. 7**

**Fig. 8**



7. Refer to **Figure 9** and sew together along their long sides (1) **Fabric D** Template 3 triangle and (1) **Fabric C** Template 3 triangle

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*



15. Sew (1) 2½" 66½" **Fabric F** strip to each side of the Quilt Center. Sew (1) 2½" x 58½" **Fabric F** strip to the top and bottom of the Quilt Center to complete the quilt top which should measure 58½" x 70½".

## Layering, Quilting and Finishing

16. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.

## Binding

17. Sew together (7) 2½" x WOF **Fabric E** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
18. Leaving an 8" tail of binding and beginning along an edge of the quilt top, match raw edges of the binding to the raw edges of the quilt top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
19. Lay both loose ends of binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the quilt top.
20. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*


## Quilt Layout



*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*




This square should measure 1" x 1" (2.54cm x 2.54cm) when printed.

**\*\*\* Measure templates before cutting to confirm printing at 100%\*\*\***

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*



This square  
should measure  
1" x 1"  
(2.54cm x 2.54cm)  
when printed.

**\*\*\* Measure templates before cutting to confirm printing at 100%\*\*\***

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*